



HONEST  
PRAGMATIC  
INNOVATION



**I PRO**  
艾普勒灯饰

**NINGBO IPROLUX LIGHTING Co.,LTD**

**WE CAN DO BETTER FOR YOU !**



**I PRO**  
艾普勒灯饰

NINGBO IPROLUX LIGHTING Co.,LTD

Add: No1, Xiaozhong Road, Meihu innovation Industrial Zone, Dongqianhu, Ningbo, Zhejiang Province, China

Tel: **0574-88130939**

Fax: 0574-88135819

E-mail: sales@iprolux.net

[WWW.IPROLUX.NET](http://WWW.IPROLUX.NET)



HONEST  
PRAGMATIC  
INNOVATION


**Ningbo Iprolux Lighting Co.,Ltd** is a professional outdoor lighting manufacturer, located in the picturesque Dongqian Lake. It is around 30mins distance from Ningbo airport to factory and 40mins distance from factory to Ningbo seaport. It has very convenient traffic and excellent geographical location.

Ningbo Iprolux Co.,Ltd specializes in manufacture of environment-friendly and energy saving courtyard lamps,damp-proof lamps,low-voltage safe garden lamps and LED landscaping lamps etc. All its products are GS,CE certified,and conform to ROHS and ERP.The products are mainly exported to EU countries and regions. Company always insist the strong aim to develop original design and the strict system for outstanding quality control.As outdoor lighting business entered the new Era,Simple with good shape and innovation products are the new market trend. Iprolux will get together with all customers to follow the trend and meet the end consumers need.

The company production zone covers 4500 square meters. Company has over 80 employees including spray-paint,polishing,spot welding,assembly and different workshops, together with good and long term supplier support. The company takes 6S system and strictly follow the requirements ISO9001:2000 Quality System as the guideline to control quality in all-round way and deliver goods timely.

Iprolux always stick to the business principle "honest,pragmatic and innovation." to build mutual and long term relation with customers.

<b>Catalog</b>	 03	 03	 04	 04	 06
 06	 06	 07	 07	 09	 10
 10	 10	 10	 11	 11	 13
 13	 14	 14	 15	 15	 16
 16	 17	 17	 17	 18	 18
 19	 19	 20	 20	 21	 22
 23	 23	 24	 24	 25	 25
 26	 26	 27	 27	 28	 28



15901



15902




15101



15105



15105




Item no	Lamp	Lumen	A	B	C
15901	9*2835 SMD LED 10W	720LM	130	170	38
15902-380	9*2835 SMD LED 10W	720LM	380	170	38
15902-580	9*2835 SMD LED 10W	720LM	580	170	38
15902-780	9*2835 SMD LED 10W	720LM	780	170	38

Voltage: 220-240V  
IP: IP54

Lifespan: > 3 years

RoHS ISO9001-2008 ERP Certification



Item no	Lamp	Lumen	A	B	C
15101	E27 23W	720LM	160	80	110
15105	COB 10W	720LM	160	80	110
15105	E27 23W	720LM	250	80	80
15105	COB 10W	720LM	250	80	80

Voltage: 220-240V  
IP: IP54

Lifespan: > 3 years

RoHS ISO9001-2008 ERP Certification





15102



15103





15104

Item no	Lamp	Lumen	A	B	C
15102-440	E27 23W		440	110	110
15103-440	COB 10W	720LM	440	110	110
15102-740	E27 23W		740	110	110
15103-740	COB 10W	720LM	740	110	110
15104-740					

Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years

RoHS ISO9001-2008 BSCI  
 ERP Certification






17101



17102



Item no	Lamp	Lumen	A	B	C
17101	18*2835 SMD LED 10W	720LM	208	60	195
17102-380	18*2835 SMD LED 10W	720LM	380	100	190
17102-580	18*2835 SMD LED 10W	720LM	580	100	190
17102-780	18*2835 SMD LED 10W	720LM	780	100	190



Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years

RoHS ISO9001-2008 BSCI  
 ERP Certification


Darkgrey Silvergrey



Item no	Lamp	A	B
16702-380	E27 23W	130	38
16702-580	E27 23W	130	580
16702-780	E27 23W	130	780

Voltage: 220-240V  
IP: IP44  
Lifespan: > 3 years

RoHS ISO9001-2008 BSCI  
ERP Certification



Item no	Lamp	A	B	C
16701	E27 23W	220	120	120
16703	E27 23W	120	188	382
16704	E27 23W	345	120	245
16705	E27 23W	880	120	120

Voltage: 220-240V  
IP: IP44  
Lifespan: > 3 years

RoHS ISO9001-2008 BSCI  
ERP Certification







16901



16902



Item no	Lamp	Lumen	A	B	C
16901	18*2835 SMD LED 10W	720LM	200	80	68
16902-380	9*2835 SMD LED 10W	720LM	380	125	128
16902-580	9*2835 SMD LED 10W	720LM	580	125	128
16902-780	9*2835 SMD LED 10W	720LM	780	125	128



Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years

RoHS ISO9001-2008 BSCI  
 ERP Certification

Darkgrey Silvergrey



17201




17202



17203




17204



Item no	Lamp	Lumen	A	B	C
17201	18*2835 SMD LED 10W	720LM	115	100	110
17202-380	18*2835 SMD LED 10W	720LM	380	134	139
17202-580	18*2835 SMD LED 10W	720LM	580	134	139
17202-780	18*2835 SMD LED 10W	720LM	780	134	139

Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
 RoHS ISO9001-2008  
 ERP Certification



Item no	Lamp	Lumen	A	B	C
17203	18*2835 SMD LED 10W	720LM	160	110	109
17204-380	18*2835 SMD LED 10W	720LM	380	134	137
17204-580	18*2835 SMD LED 10W	720LM	580	134	137
17204-780	18*2835 SMD LED 10W	720LM	780	134	137

Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
 RoHS ISO9001-2008  
 ERP Certification








17205





17206



Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
 CE RoHS ISO9001-2008 BSCI  
 ERP Certification

Item no	Lamp	Lumen	A	B	C
17308	COB 10W	720LM	220	120	126


Darkgrey Silvergrey



Item no	Lamp	Lumen	A	B	C
17205	45*2835 LED 10W	720LM	263	80	164
17206-380	45*2835 LED 10W	720LM	380	110	154
17206-580	45*2835 LED 10W	720LM	580	110	154
17206-780	45*2835 LED 10W	720LM	780	110	154

Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
 CE RoHS ISO9001-2008 BSCI  
 ERP Certification

Darkgrey Silvergrey



Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
 CE RoHS ISO9001-2008 BSCI  
 ERP Certification

Item no	Lamp	Lumen	A	B	C
17309-380	COB 10W	720LM	380	120	104
17309-580	COB 10W	720LM	580	120	104
17309-780	COB 10W	720LM	780	120	104

Darkgrey Silvergrey







17301



17302



17501




17303


Voltage: 220-240V  
IP: IP54  
Lifespan: > 3 years

RoHS ISO9001-2008 BSCI  
ERP Certification

Item no	Lamp	Lumen	A	B	C
17501	18*2835 SMD LED 10W	720LM	80	100	144
17502-380	18*2835 SMD LED 10W	720LM	380	100	159
17502-580	18*2835 SMD LED 10W	720LM	580	100	159
17502-780	18*2835 SMD LED 10W	720LM	780	100	159



17502





Item no	Lamp	Lumen	A	B	C
17301	90*3014 LED 10W	720LM	126	284	82
17302-580	90*3014 LED 10W	720LM	580	284	97
17302-780	90*3014 LED 10W	720LM	780	284	97
17303	90*3014 LED 10W	720LM	168	284	82

Voltage: 220-240V  
IP: IP54  
Lifespan: > 3 years


RoHS ISO9001-2008 BSCI  
ERP Certification

Darkgrey Silvergrey

Darkgrey Silvergrey



17503  
Darkgrey Silvergrey



17504  
Darkgrey Silvergrey

Item no	Lamp	Lumen	A	B	C
17503	90*2835 LED 10W	720LM	80	220	72.5
17504-380	90*2835 LED 10W	720LM	380	220	88
17504-580	90*2835 LED 10W	720LM	580	220	88
17504-780	90*2835 LED 10W	720LM	780	220	88

Voltage: 220-240V  
IP: IP54  
Lifespan: > 3 years  
RoHS ISO9001-2008 BSCI  
ERP Certification






17601  
Darkgrey Silvergrey



17602  
Darkgrey Silvergrey


Item no	Lamp	Lumen	A	B	C
17601	90*2835 LED 10W	720LM	80	220	72.5
17602-380	90*2835 LED 10W	720LM	380	220	88
17602-580	90*2835 LED 10W	720LM	580	220	88
17602-780	90*2835 LED 10W	720LM	780	220	88

Voltage: 220-240V  
IP: IP54  
Lifespan: > 3 years  
RoHS ISO9001-2008 BSCI  
ERP Certification




Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
**CE RoHS ISO9001-2008**  
 ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17505	10W	3000/4000/6000K	720LM	150	84	76




Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
**CE RoHS ISO9001-2008**  
 ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17506-380	10W	3000/4000/6000K	720LM	150	107	380
17506-580	10W	3000/4000/6000K	720LM	150	107	580
17506-780	10W	3000/4000/6000K	720LM	150	107	780



## Drawer



Voltage: 220-240V

IP: IP54



Lifespan: > 3 years

CE RoHS ISO9001-2008

ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17803	10W	3000/4000/6000K	720LM	150	50	120

17803



Voltage: 220-240V

IP: IP54


Lifespan: > 3 years

CE RoHS ISO9001-2008


ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17804-380	10W	3000/4000/6000K	720LM	150	50	380
17804-580	10W	3000/4000/6000K	720LM	150	50	580
17804-780	10W	3000/4000/6000K	720LM	150	50	780

17804



## Petunia



Voltage: 220-240V

IP: IP54



Lifespan: > 3 years

CE RoHS ISO9001-2008

ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17904	10W	3000/4000/6000K	720LM	240	138	165

17904



Voltage: 220-240V

IP: IP54

Lifespan: > 3 years

CE RoHS ISO9001-2008


ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17905-380	10W	3000/4000/6000K	720LM	285	140	380
17905-580	10W	3000/4000/6000K	720LM	285	140	580
17905-780	10W	3000/4000/6000K	720LM	285	140	780

17905



# Glory



Voltage: 220-240V


IP: IP54

Lifespan: > 3 years



CE RoHS ISO9001-2008

ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17901	10W	3000/4000/6000K	720LM	215	180	150



# Rainbow



Voltage: 220-240V



IP: IP54

Lifespan: > 3 years

CE RoHS ISO9001-2008

ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17801	10W	3000/4000/6000K	720LM	152	107	114



Voltage: 220-240V



IP: IP54

Lifespan: > 3 years

CE RoHS ISO9001-2008

ERP Certification

Item No	Power	CCT	Lumen	A	B
17902-380	10W	3000/4000/6000K	720LM	180	380
17902-580	10W	3000/4000/6000K	720LM	180	580
17902-780	10W	3000/4000/6000K	720LM	180	780



Voltage: 220-240V


IP: IP54

Lifespan: > 3 years



CE RoHS ISO9001-2008

ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17801	10W	3000/4000/6000K	720LM	152	60	87
17802-380	10W	3000/4000/6000K	720LM	152	107	380
17802-580	10W	3000/4000/6000K	720LM	152	107	580
17802-780	10W	3000/4000/6000K	720LM	152	107	780



# Bow




Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
**CE RoHS ISO9001-2008**  
 ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17507	10W	3000/4000/6000K	720LM	160	112	170

**17507**

Darkgrey Silvergrey

# Cube




Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
**CE RoHS ISO9001-2008**  
 ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17401	10W	3000/4000/6000K	720LM	138	113	225

**17401**

Darkgrey Silvergrey




Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
**CE RoHS ISO9001-2008**  
 ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17508-380	10W	3000/4000/6000K	720LM	160	80	380
17508-580	10W	3000/4000/6000K	720LM	160	80	580
17508-780	10W	3000/4000/6000K	720LM	160	80	780

**17508**

Darkgrey Silvergrey



Voltage: 220-240V  
 IP: IP54  
 Lifespan: > 3 years  
**CE RoHS ISO9001-2008**  
 ERP Certification

Item No	Power	CCT	Lumen	A	B	C
17402-380	10W	3000/4000/6000K	720LM	120	120	380
17402-580	10W	3000/4000/6000K	720LM	120	120	580
17402-780	10W	3000/4000/6000K	720LM	120	120	780

**17402**

Darkgrey Silvergrey